

Scoring Sheet — The JCSG+ Suite

Date:	Protein:	Protein vol.:	µl
Operator:	Buffer:	Solution vol.:	µl
Plate ID:	Additives:	Additive vol.:	µl

Date of observation

Location	Crystallization condition				
A1 1,A1	0.2 M Lithium sulfate, 0.1 M Sodium acetate pH 4.5, 50% (v/v) PEG 400				
A2 1,A2	0.1 M tri-Sodium citrate pH 5.5, 20% (w/v) PEG 3000				
A3 1,A3	0.18 M tri-Ammonium citrate, 20% (w/v) PEG 3350				
A4 1,A4	0.02 M Calcium chloride, 0.1 M Sodium acetate pH 4.6, 30% (v/v) MPD				
A5 1,A5	0.2 M Magnesium formate, 20% (w/v) PEG 3350				
A6 1,A6	0.2 M Lithium sulfate, 0.1 M Phosphate-citrate pH 4.2, 20% (w/v) PEG 1000				
A7 1,B1	0.1 M CHES pH 9.5, 20% (w/v) PEG 8000				
A8 1,B2	0.2 M Ammonium formate, 20% (w/v) PEG 3350				
A9 1,B3	0.2 M Ammonium chloride, 20% (w/v) PEG 3350				
A10 1,B4	0.2 M Potassium formate, 20% (w/v) PEG 3350				
A11 1,B5	0.2 M Ammonium phosphate, 0.1 M Tris pH 8.5, 50% (v/v) MPD				
A12 1,B6	0.2 M Potassium nitrate, 20% (w/v) PEG 3350				
B1 1,C1	0.8 M Ammonium sulfate, 0.1 M Citric acid pH 3.5 (final pH 4)				
B2 1,C2	0.2 M Sodium thiocyanate, 20% (w/v) PEG 3350				
B3 1,C3	0.1 M Bicine pH 8.5, 20% (w/v) PEG 6000 (final pH 9)				
B4 1,C4	0.1 M HEPES pH 7.5, 10% (w/v) PEG 8000, 8% (v/v) Ethylene glycol				
B5 1,C5	0.1 M Sodium cacodylate pH 6.5, 40% (v/v) MPD, 5% (w/v) PEG 8000				
B6 1,C6	0.1 M Phosphate-citrate pH 4.2, 40% (v/v) Ethanol, 5% (w/v) PEG 1000				
B7 1,D1	0.1 M Sodium acetate pH 4.6, 8% (w/v) PEG 4000				
B8 1,D2	0.2 M Magnesium chloride, 0.1 M Tris pH 7.0, 10% (w/v) PEG 8000				
B9 1,D3	0.1 M Citric acid pH 4.0, 20% (w/v) PEG 6000 (final pH 5)				
B10 1,D4	0.2 M Magnesium chloride, 0.1 M Sodium cacodylate pH 6.5, 50% (v/v) PEG 200				
B11 1,D5	1.6 M tri-Sodium citrate pH 6.5, (final pH 6.5)				
B12 1,D6	0.2 M tri-Potassium citrate, 20% (w/v) PEG 3350				
C1 2,A1	0.2 M Sodium chloride, 0.1 M Phosphate-citrate pH 4.2, 20% (w/v) PEG 8000				
C2 2,A2	1 M Lithium chloride, 0.1 M Citric acid pH 4.0, 20% (w/v) PEG 6000 (final pH 4)				
C3 2,A3	0.2 M Ammonium nitrate, 20% (w/v) PEG 3350				
C4 2,A4	0.1 M HEPES pH 6.5, 10% (w/v) PEG 6000 (final pH 7)				
C5 2,A5	0.8 M Sodium phosphate, 0.8 M Potassium phosphate, 0.1 M HEPES pH 7.5				
C6 2,A6	0.1 M Phosphate-citrate pH 4.2, 40% (v/v) PEG 300				
C7 2,B1	0.2 M Zinc acetate, 0.1 M Sodium acetate pH 4.5, 10% (w/v) PEG 3000				
C8 2,B2	0.1 M Tris pH 8.5, 20% (v/v) Ethanol				
C9 2,B3	0.1 M Na/K phosphate pH 6.2, 25% (v/v) 1,2 propanediol, 10% (v/v) Glycerol				
C10 2,B4	0.1 M Bicine pH 9.0, 10% (w/v) PEG 20000, 2% (v/v) 1,4-Dioxane				
C11 2,B5	2 M Ammonium sulfate, 0.1 M Sodium acetate pH 4.6				
C12 2,B6	10% (w/v) PEG 1000, 10% (w/v) PEG 8000				
D1 2,C1	24% (w/v) PEG 1500, 20% (w/v) Glycerol				
D2 2,C2	0.2 M Magnesium chloride, 0.1 M HEPES pH 7.5, 30% (v/v) PEG 400				
D3 2,C3	0.2 M Sodium chloride, 0.1 M Na/K phosphate pH 6.2, 50% (v/v) PEG 200				
D4 2,C4	0.2 M Lithium sulfate, 0.1 M Sodium acetate pH 4.5, 30% (w/v) PEG 8000				
D5 2,C5	0.1 M HEPES pH 7.5, 70% (v/v) MPD				
D6 2,C6	0.2 M Magnesium chloride, 0.1 M Tris pH 8.5, 20% (w/v) PEG 8000				
D7 2,D1	0.2 M Lithium sulfate, 0.1 M Tris pH 8.5, 40% (v/v) PEG 400				
D8 2,D2	0.1 M Tris pH 8.0, 40% (v/v) MPD				
D9 2,D3	0.17 M Ammonium sulfate, 25.5% (w/v) PEG 4000, 15% (v/v) Glycerol				
D10 2,D4	0.2 M Calcium acetate, 0.1 M Sodium cacodylate pH 6.5, 40% (v/v) PEG 300				
D11 2,D5	0.14 M Calcium chloride, 0.07 M Sodium acetate pH 4.6, 14% (v/v) Isopropanol, 30% (v/v) Glycerol				
D12 2,D6	0.04 M Potassium phosphate, 16% (w/v) PEG 8000, 20% (v/v) Glycerol				



Location	Crystallization condition				
E1 3,A1	1 M tri-Sodium citrate, 0.1 M Sodium cacodylate pH 6.5				
E2 3,A2	0.2 M Sodium chloride, 0.1 M Sodium cacodylate pH 6.5, 2 M Ammonium sulfate				
E3 3,A3	0.2 M Sodium chloride, 0.1 M HEPES pH 7.5, 10% (v/v) Isopropanol				
E4 3,A4	0.2 M Lithium sulfate, 0.1 M Tris pH 8.5, 1,26 M Ammonium sulfate				
E5 3,A5	0.1 M CAPS pH 10.5, 40% (v/v) MPD				
E6 3,A6	0.2 M Zinc acetate, 0.1 M Imidazole pH 8.0, 20% (w/v) PEG 3000				
E7 3,B1	0.2 M Zinc acetate, 0.1 M Sodium cacodylate pH 6.5, 10% (v/v) Isopropanol				
E8 3,B2	1 M di-Ammonium phosphate, 0.1 M Sodium acetate pH 4.5				
E9 3,B3	1.6 M Magnesium sulfate, 0.1 M MES pH 6.5				
E10 3,B4	0.1 M Bisine pH 9.0, 10% (w/v) PEG 6000 (final pH 9) 0.16 M Calcium acetate, 0.08 M Sodium cacodylate pH 6.5, 14.4% (w/v) PEG 8000, 20% (v/v) Glycerol				
E11 3,B5					
E12 3,B6	0.1 M Imidazole pH 8.0, 10% (w/v) PEG 8000				
F1 3,C1	0.05 M Cesium chloride, 0.1 M MES pH 6.5, 30% (v/v) Jeffamine M-600				
F2 3,C2	3.2 M Ammonium sulfate, 0.1 M Citric acid pH 4.0 (final pH 5)				
F3 3,C3	0.1 M Tris pH 8.5, 20% (v/v) MPD (final pH 8)				
F4 3,C4	0.1 M HEPES pH 7.5, 20% (v/v) Jeffamine M-600				
F5 3,C5	0.2 M Magnesium chloride, 0.1 M Tris pH 8.5, 50% (v/v) Ethylene glycol				
F6 3,C6	0.1 M Bisine pH 8.5, 10% (v/v) MPD (final pH 9)				
F7 3,D1	0.8 M Succinic acid pH 7.0				
F8 3,D2	2.1 M DL-Malic acid pH 7.0				
F9 3,D3	2.4 M Sodium malonate pH 7.0				
F10 3,D4	1.1 M Sodium malonate, 0.1 M HEPES pH 7.0, 0.5% (v/v) Jeffamine ED-2001 (final pH 7)				
F11 3,D5	1 M Succinic acid, 0.1 M HEPES pH 7.0, 1% (w/v) PEG MME 2000 (final pH 7)				
F12 3,D6	0.1 M HEPES pH 7.0, 30% (v/v) Jeffamine M-600 (final pH 7)				
G1 4,A1	0.1 M HEPES pH 7.0, 30% (v/v) Jeffamine ED-2001 (final pH 7) 0.02 M Magnesium chloride, 0.1 M HEPES pH 7.5,				
G2 4,A2	22% (w/v) Polycrylic acid 5100 sodium salt				
G3 4,A3	0.01 M Cobalt chloride, 0.1 M Tris pH 8.5, 20% (w/v) Polyvinylpyrrolidone K15				
G4 4,A4	0.2 M Trimethylamine N-oxide, 0.1 M Tris pH 8.5, 20% (w/v) PEG MME 2000 0.005 M Cobalt chloride, 0.005 M Cadmium chloride, 0.005 M Magnesium chloride,				
G5 4,A5	0.005 M Nickel chloride, 0.1 M HEPES pH 7.5, 12% (w/v) PEG 3350				
G6 4,A6	0.24 M Sodium malonate pH 7.0, 20% (w/v) PEG 3350				
G7 4,B1	0.1 M Succinic acid pH 7.0, 15% (w/v) PEG 3350				
G8 4,B2	0.15 M DL-Malic acid pH 7.0, 20% (w/v) PEG 3350				
G9 4,B3	0.1 M Potassium thiocyanate, 30% (w/v) PEG MME 2000				
G10 4,B4	0.15 M Potassium bromide, 30% (w/v) PEG MME 2000				
G11 4,B5	2 M Ammonium sulfate, 0.1 M Bis-Tris pH 5.5				
G12 4,B6	3 M Sodium chloride, 0.1 M Bis-Tris pH 5.5				
H1 4,C1	0.3 M Magnesium formate, 0.1 M Bis-Tris pH 5.5				
H2 4,C2	1 M Ammonium sulfate, 0.1 M Bis-Tris pH 5.5, 1% (w/v) PEG 3350				
H3 4,C3	0.1 M tri-Sodium acetate pH 4.5, 0.1 M Bis-Tris pH 5.5, 25% (w/v) PEG 3350				
H4 4,C4	0.2 M Calcium chloride, 0.1 M Bis-Tris pH 5.5, 45% (v/v) MPD				
H5 4,C5	0.2 M Ammonium acetate, 0.1 M Bis-Tris pH 5.5, 45% (v/v) MPD				
H6 4,C6	0.1 M Ammonium acetate, 0.1 M Bis-Tris pH 5.5, 17% (w/v) PEG 10000				
H7 4,D1	0.2 M Ammonium sulfate, 0.1 M Bis-Tris pH 5.5, 25% (w/v) PEG 3350				
H8 4,D2	0.2 M Sodium chloride, 0.1 M Bis-Tris pH 5.5, 25% (w/v) PEG 3350				
H9 4,D3	0.2 M Lithium sulfate, 0.1 M Bis-Tris pH 5.5, 25% (w/v) PEG 3350				
H10 4,D4	0.2 M Ammonium acetate, 0.1 M Bis-Tris pH 5.5, 25% (w/v) PEG 3350				
H11 4,D5	0.2 M Magnesium chloride, 0.1 M Bis-Tris pH 5.5, 25% (w/v) PEG 3350				
H12 4,D6	0.2 M Ammonium acetate, 0.1 M HEPES pH 7.5, 45% (v/v) MPD				

Order EasyXtal and NeXtal products online at www.qiagen.com/crystallization

Trademarks: QIAGEN®, EasyXtal®, NeXtal® (QIAGEN Group) 09/2008 © 2006–2008 QIAGEN, all rights reserved.

www.qiagen.com

Australia ■ 1-800-243-800

Austria ■ 0800/281010

Belgium ■ 0800-79612

Canada ■ 800-572-9613

China ■ 0086 21 3865 3865

Denmark ■ 80-885945

Finland ■ 0800-914416

France ■ 01-60-920-930

Germany ■ 02103-29-12000

Hong Kong ■ 800 933 965

Ireland ■ 1800 555 049

Italy ■ 800 787980

Japan ■ 03-5547-0811

Korea (South) ■ 1544 7145

Luxembourg ■ 8002 2076

The Netherlands ■ 0800 0229592

Norway ■ 800-18859

Singapore ■ 65-67775366

Spain ■ 91-630-7050

Sweden ■ 020-790282

Switzerland ■ 055-254-22-11

UK ■ 01293-422-911

USA ■ 800-426-8157



Sample & Assay Technologies