

QuantiNova Probe PCR Kit

Ultrafast, highly sensitive and specific, probe-based real-time PCR

Overview

Procedure

Stringent hot start


Single copy detection

Detect 2 targets per well

Superior precision


Long-term reaction stability

Ordering information



Ultrafast procedure with built-in pipetting control

- Overview
- Procedure
- Stringent hot start
- Single copy detection
- Detect 2 targets per well
- Superior precision
- Long-term reaction stability
- Ordering information



 [Download Quick-Start Protocol](#)


- Unmatched throughput and speed with ultrafast cycling
- Simple, color change verifies correct pipetting

True, room-temperature setup with antibody-mediated hot start

- Overview
- Procedure
- Stringent hot start
- Single copy detection
- Detect 2 targets per well
- Superior precision
- Long-term reaction stability
- Ordering information

Inactive QuantiNova DNA Polymerase



Active QuantiNova DNA Polymerase



Our stringent hot start prevents primer dimer formation and extension of non-specific products

Sensitive detection of a single DNA molecule

- Overview
- Procedure
- Stringent hot start
- Single copy detection
- Detect 2 targets per well
- Superior precision
- Long-term reaction stability
- Ordering information




Extremely high sensitivity demonstrated by the comparability of the experimental and calculated detection frequencies.



Robust and sensitive detection of single-copy targets

Reliable detection of 2 targets in the same reaction

- Overview
- Procedure
- Stringent hot start
- Single copy detection
- Detect 2 targets per well
- Superior precision
- Long-term reaction stability
- Ordering information





A TNF **B** GAPD singleplex and duplex reactions. Ten-fold dilutions of leukocyte DNA (from 100 ng to 10 pg) were assayed.

Comparable, reliable results in duplex and singleplex PCR

Superior performance with difficult targets

- Overview
- Procedure
- Stringent hot start
- Single copy detection
- Detect 2 targets per well
- Superior precision
- Long-term reaction stability
- Ordering information



Ten-fold dilutions of plasmid DNA were used to detect a 500 bp amplicon, using a minor-groove binding probe.



Precise results even with challenging assays

Automation-ready, long-term, room-temperature stability

Overview

Procedure

Stringent hot start

Single copy detection

Detect 2 targets per well

Superior precision

Long-term reaction stability

Ordering information

ng	Mean Cq values			
	QuantiNova Probe PCR Kit		Probe PCR kit from supplier L	
	0 hrs	100 hrs	0 hrs	100 hrs
10	24.37	24.49	24.35	27.49
1	27.78	27.90	27.77	30.97
0.1	31.16	30.98	31.37	34.48
No template	Not detected	Not detected	Not detected	Not detected

Real-time PCR reactions including master mix, cDNA, primers and probes for TNF were incubated at 30°C for 100 hours and run alongside freshly prepared reactions.



No performance loss after storage at 30°C for 100 hours

Ordering Information

Overview
Procedure
Stringent hot start
Single copy detection
Detect 2 targets per well
Superior precision
Long-term reaction stability

Product	Description	Cat. no.
<u>QuantiNova Probe PCR Kit (100)</u>	For 100 x 20 µl reactions: 1 ml 2x QuantiNova SYBR Green PCR Master Mix, 500 µl QuantiNova Yellow Template Dilution Buffer, 250 µl QN ROX Reference Dye, 1.9 ml Water	220211
<u>QuantiNova Probe Kit (500)</u>	For 500 x 25 µl reactions: 3 x 1.7 ml 2x Master Mix (contains ROX dye), 500 µl QuantiNova Yellow Template Dilution Buffer, 1 ml QN ROX Reference Dye, 1.9 ml RNase-Free Water	220213
<u>QuantiNova Probe Kit (2500)</u>	For 2500 x 20 µl reactions: 15 x 1.7 ml 2x QuantiNova SYBR Green PCR Master Mix, 5 x 500 µl QuantiNova Yellow Template Dilution Buffer, 5 X 1 ml QN ROX Reference Dye, 5 x 1.9 ml Water	220216

For up-to-date licensing information and product-specific disclaimers, see the respective QIAGEN kit handbook or user manual. QIAGEN kit handbooks and user manuals are available at www.qiagen.com or can be requested from QIAGEN Technical Services or your local distributor.

Trademarks: QIAGEN®, Sample to Insight®, QuantiNova® (QIAGEN Group).

© 2018 QIAGEN, all rights reserved.

Ordering www.qiagen.com/contact | Technical Support [support.qiagen.com](mailto:support@qiagen.com) | Website www.qiagen.com

[Visit Webpage](#)

Ordering information